

Topp-40 Supplément protéique pour chevaux

Supplément de protéines qui permet de corriger le niveau de protéines des rations à base de fourrage de faible qualité ou des rations ayant besoin d'un surplus de protéines sans une augmentation importante d'énergie.

MODE D'EMPLOI

- À servir en couverture de ration des chevaux consommant un foin de qualité faible (bas niveau de protéines) ou aux chevaux ayant des besoins protéiques plus élevés (travail, gestation, lactation ou croissance).
- Peut aussi être servi aux poulinières et poulains en croissance, dont la condition de chair ne permet pas l'ajout de moulée supplémentaire et qui consomme un foin limite au niveau de la protéine.
- Si le Topp-40 est utilisé comme seul apport protéique, suivre les recommandations du tableau à droite :
Ex. : un cheval de 500 kg au travail modéré qui reçoit un foin à 8 % de protéines doit recevoir 400 g (5 × 80g) de Topp-40 pour combler ses besoins protéiques
- Si le Topp-40 est utilisé avec un aliment ou un supplément contenant des protéines, les proportions doivent être calculées pour arriver au pourcentage de protéines désiré pour la ration totale.
Au besoin, se référer à un expert-conseil La Coop.
- Toujours servir le Topp-40 en combinaison avec un supplément de minéraux et de vitamines Célébrité.
- Servir le Topp-40 en au moins deux repas par jour en effectuant les changements de ration de façon graduelle, sur une période de 10 à 15 jours.



Code
10615



Disponibilité :
Sac de 25 kg
Vrac (2 tonnes)

Activité	Qté de Topp-40 à servir par jour			
	(Cheval qui reçoit 2 kg de foin par 100 kg de poids vif)			
PB du foin (% MS)	6	8	10	12
	g par 100 kg de poids vif			
Entretien - repos	75	35	-	-
Travail léger	100	60	20	-
Travail modéré	120	80	40	-
Travail intense	150	110	70	30
Gestation 5 mois	95	55	15	-
Gestation 9 mois	130	90	50	10
Gestation 11 mois	160	120	80	40
Lactation	440	400	360	320
Croissance	90	50	10	-

Densité approximative : 1 tasse = 165 g
Précautions: Eau fraîche et bloc de sel à volonté
Mouiller les cubes lorsque le cheval mange trop vite ou s'il a des problèmes dentaires
Au besoin, se référer à un expert-conseil La Coop

Ingrédients clés	Avantages nutritionnels
Tourteau de soya, soya extrudé Acides aminés essentiels (lysine et méthionine)	Sources de protéines hautement assimilables : Maintien de la masse musculaire et permet de compenser un foin plus pauvre en protéines
Calcium et phosphore	Permet de rebalancer le ratio calcium/phosphore à un ratio idéal pour le cheval
Vitamine E	Soutient le système immunitaire et les fonctions physiologiques Action antioxydante

Analyse garantie : base T.Q.S.	
Protéine brute (%)	40,00
Lysine/Méthionine (%)	3,0 / 1,0
Gras brut (%)	2,0
Fibre brute max. (%)	5,00
Minéraux	
Calcium (%)	3,00
Phosphore (%)	1,50
Sodium (%)	1,00
Magnésium (%)	0,20
Potassium (%)	1,10
Vitamines	
Vitamine E min. (U.I./kg)	500

Topp-40 Protein supplement for horses

Protein supplement to correct the protein level of low-quality forage rations or rations that need extra protein without a significant increase in energy.

HOW TO USE IT

1. Serve as a top dress for horses consuming low quality hay (low protein level) or horses with higher protein requirements (work, pregnancy, lactation or growth).
2. Can also be used for broodmares and growing foals, whose body condition does not allow the addition of complete feed and which consumes hay with a lower level of protein.
3. If Topp-40 is used as the sole protein source, follow the recommendations in the table to the right:
Ex.: A 500kg horse at moderate work receiving a 8% protein hay should receive 400g (5 x 80g) of Topp-40 to meet protein requirements
4. If Topp-40 is used with a protein-containing feed or supplement, the proportions should be calculated to arrive at the desired percentage of protein for the total ration.
If necessary, refer to a La Coop consultant.
5. Always serve the Topp-40 in combination with a Célébrité minerals and vitamins supplement.
6. Serve the Topp-40 in at least two meals a day with gradual changes over a 10 to 15 days period.



Code
10615



Availability:
Bag of 25 kg
Bulk (2 tons)

Exercise / stage	Quantity of Topp-40 to be served daily (Horse receiving 2 kg of hay per 100 kg live weight)			
	6	8	10	12
Hay CP (% DM)	6	8	10	12
	g per 100 kg of bodyweight			
Maintenance - rest	75	35	-	-
Light work	100	60	20	-
Moderate work	120	80	40	-
Intense work	150	110	70	30
5 months gestation	95	55	15	-
9 months gestation	130	90	50	10
11 months gestation	160	120	80	40
Lactation	440	400	360	320
Growth	90	50	10	-

Approximate feed weight to volume: 165g = 1 cup
Precautions: Fresh water and salt block at will
Wet when the horse is eating too fast or if he has dental problems.
If necessary, refer to a La Coop consultant

Important ingredients	Nutritional benefits
Soybean meal, extruded soybeans Essential amino acids (lysine and methionine)	Highly assimilable protein sources: Maintain muscle mass and compensate for lower protein hay
Calcium and phosphorus	Allows you to rebalance the calcium / phosphorus ratio to an ideal ratio for the horse
Vitamin E	Supports the immune system and physiological functions Antioxidant action

Garanteed analysis : as served	
Crude protein (%)	40,00
Lysine/Methionine (%)	3,0 / 1,0
Fat (%)	2,0
Fiber max. (%)	5,00
Minerals	
Calcium (%)	3,00
Phosphorus (%)	1,50
Sodium (%)	1,00
Magnesium (%)	0,20
Potassium (%)	1,10
Vitamins	
Vitamin E min. (U.I./kg)	500

